



**Meulenbroek**

**Perscontainers  
Compactors**



**WASTE COMPACTOR MODEL LPC**

[www.meulenbroek.nl](http://www.meulenbroek.nl)



100m<sup>3</sup> →

## Waste compactor model LPC



Suitable for processing larger amounts of medium sized waste and small cardboard boxes. Regularly a larger piece (for example a pallet) is no problem.

### Benefits:

- Saving on processing costs
- Easy operation, low maintenance
- Sheet metal thickness container 5mm
- Safe (CE) and a very long lifespan
- Low energy consumption
- By modular construction easy to adapt to your situation
- Keeps moisture in the container thanks to a acid-resistant seal

### Suitable for:

- Nursing homes
- Medium sized Hospitals
- Larger supermarkets
- Restaurants
- Small and medium-sized companies
- Places where less space is available





LPC20

## Technical data waste compactor LPC

Model LPC		17	20	23
Volume	m <sup>3</sup>	17	20	23
Length L	mm	5415	6001	6611
Width B	mm	2530	2530	2530
Height H	mm	2630	2630	2630
Length filling area	mm	1800	1800	1800
Width filling area	mm	1800	1800	1800
Throw-in height	mm	1325	1325	1325
Length before press	mm	970	970	970
Width pressblock	mm	1800	1800	1800
Height pressblock	mm	550	550	550
Cycle time	sec	45	45	45
Press force	n/cm <sup>2</sup>	26	26	26
Engine power	kw	5,5	5,5	5,5
Weight Approx. <sup>(1)</sup>	kg	3900	4250	4450
Max. total weight	kg	15700	16500	16500

(1) Standard machine, without tilting device

Power: 400 Volt, 32 Amp plug, fuse 25 A slow.

