




**Meulenbroek**  
*Perscontainers  
Compactors*



**WASTE COMPACTOR MODEL LPC-L**

[www.meulenbroek.nl](http://www.meulenbroek.nl)



100m<sup>3</sup>  


## Waste compactor model LPC-L



Suitable for processing larger amounts of large waste and medium sized cardboard boxes. Regularly a larger piece (for example a pallet) is no problem.

### Benefits:

- Saving on processing costs
- Easy operation, low maintenance
- Sheet metal thickness container 5mm
- Safe (CE) and a very long lifespan
- By modular construction easy to adapt to your situation
- Low energy consumption
- Keeps moisture in the container thanks to a acid-resistant seal

### Suitable for:

- Hospitals
- Distribution centers
- Waste transfer locations
- Medium-sized and larger companies
- Places with less space and larger amounts of waste





LPC20L

## Technical data waste compactor LPC-L

Model LPC-L		17	20	23
Volume	m <sup>3</sup>	17	20	23
Length L	mm	5885	6460	7070
Width B	mm	2530	2530	2530
Height H	mm	2630	2630	2630
Length filling area	mm	2160	2160	2160
Width filling area	mm	1800	1800	1800
Throw-in height	mm	1290	1290	1290
Length before press	mm	1400	1400	1400
Width pressblock	mm	1800	1800	1800
Height pressblock	mm	550	550	550
Cycle time	sec	57	57	57
Press force	n/cm <sup>2</sup>	32	32	32
Engine power	kw	7,5	7,5	7,5
Weight Approx. <sup>(1)</sup>	kg	4490	4900	5100
Max. total weight	kg	16500	17000	17000

(1) Standard machine, without tilting device

Power: 400 Volt, 32 Amp plug, fuse 25 A slow.

